

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	50	("4539845" "5617020" "5696491" "4463606" "4621701" "4906917" "5353906" "5508698" "5583434" "5623421" "5625343" "5627310" "5754055" "5910700" "5919029" "6113553" "6208051" "6260004" "6330525" "4877999" "4298784" "5630949" "5770462" "4458202" "4603257" "5025147" "5063332" "5386288" "6245578" "6312393" "6423001" "6553335" "5653811" "5929981" "6795796" "4283260" "6077387" "6202590" "4585974" "5220836" "5365787" "5381698" "5565987" "5695155" "5769503" "6196067" "4419600" "4784237" "4817430" "5012206").pn.	US-PGPUB; USPAT	OR	ON	2005/06/03 14:40

2/6/04

10772304\_CLS.txt  
Most Frequently Occurring Classifications of Patents Returned  
From A Search of 10772304 on June 03, 2005

700 /

Original Classifications

2 436/527  
2 702/183

702 / 184

Cross-Reference Classifications

3 324/236  
2 204/298.03  
2 216/60  
2 310/316.01  
2 310/338  
2 324/117R  
2 356/426  
2 356/427  
2 356/428  
2 385/12  
2 385/129  
2 385/130  
2 422/50  
2 422/55  
2 422/58  
2 422/82.05  
2 422/82.11  
2 435/287.1  
2 435/287.2  
2 435/288.7  
2 435/808  
2 436/164  
2 436/165  
2 436/518  
2 436/535  
2 436/805

438 /

324 /

app  
1  
2 3

Combined Classifications

3 310/338  
3 324/236  
2 204/192.13  
2 204/298.03  
2 216/60  
2 310/316.01  
2 324/117R  
2 356/426  
2 356/427  
2 356/428  
2 385/12  
2 385/129  
2 385/130  
2 422/50  
2 422/55  
2 422/58  
2 422/82.05  
2 422/82.11  
2 435/287.1  
2 435/287.2  
2 435/288.7  
2 435/808  
2 436/164  
2 436/165  
2 436/518  
2 436/527

10772304\_CLS.txt

2 436/535  
2 436/805  
2 600/561  
2 702/182  
2 702/183

Titles of Most Frequently Occurring Classifications of Patents Returned  
From A Search of 10772304 on June 03, 2005

- 3 310/338 (1 OR, 2 XR)  
Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE  
310/300 NON-DYNAMOELECTRIC  
310/311 .Piezoelectric elements and devices  
310/328 ..With mechanical energy coupling means  
310/338 ...Force or pressure measuring type
- 3 324/236 (0 OR, 3 XR)  
Class 324 : ELECTRICITY: MEASURING AND TESTING  
324/200 MAGNETIC  
324/228 .With means to create magnetic field to test material  
324/234 ..Electrically energized nonforce type sensor  
324/236 ...Oscillator type
- 2 204/192.13 (1 OR, 1 XR)  
Class 204 : CHEMISTRY: ELECTRICAL AND WAVE ENERGY  
204/192.1 .Coating, forming or etching by sputtering  
204/192.12 ..Glow discharge sputter deposition (e.g., cathode sputtering, etc.)  
204/192.13 ...Measuring or testing (e.g., of operating parameters, property of article, etc.)
- 2 204/298.03 (0 OR, 2 XR)  
Class 204 : CHEMISTRY: ELECTRICAL AND WAVE ENERGY  
204/193 APPARATUS  
204/298.01 .Coating, forming or etching by sputtering  
204/298.02 ..Coating  
204/298.03 ...Measuring, analyzing or testing
- 2 216/60 (0 OR, 2 XR)  
Class 216 : ETCHING A SUBSTRATE: PROCESSES  
216/58 GAS PHASE ETCHING OF SUBSTRATE  
216/59 .With measuring, testing, or inspecting  
216/60 ..By optical means or of an optical property
- 2 310/316.01 (0 OR, 2 XR)  
Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE  
310/300 NON-DYNAMOELECTRIC  
310/311 .Piezoelectric elements and devices  
310/314 ..Electrical systems  
310/316.01 ...Input circuit for simultaneous electrical and mechanical output from piezoelectric element
- 2 324/117R (0 OR, 2 XR)  
Class 324 : ELECTRICITY: MEASURING AND TESTING  
324/76.11 MEASURING, TESTING, OR SENSING ELECTRICITY, PER SE  
324/117R .Magnetic saturation (e.g., in field or in amplifier)
- 2 356/426 (0 OR, 2 XR)  
Class 356 : OPTICS: MEASURING AND TESTING  
356/426 BY INSPECTION WITH AGITATION OR ROTATION
- 2 356/427 (0 OR, 2 XR)  
Class 356 : OPTICS: MEASURING AND TESTING  
356/426 BY INSPECTION WITH AGITATION OR ROTATION

- 356/427 .Of container contents
- 2 356/428 (0 OR, 2 XR)  
     Class 356 : OPTICS: MEASURING AND TESTING  
     356/426 BY INSPECTION WITH AGITATION OR ROTATION  
     356/428 .Of containers
- 2 385/12 (0 OR, 2 XR)  
     Class 385 : OPTICAL WAVEGUIDES  
     385/12 OPTICAL WAVEGUIDE SENSOR
- 2 385/129 (0 OR, 2 XR)  
     Class 385 : OPTICAL WAVEGUIDES  
     385/129 PLANAR OPTICAL WAVEGUIDE
- 2 385/130 (0 OR, 2 XR)  
     Class 385 : OPTICAL WAVEGUIDES  
     385/129 PLANAR OPTICAL WAVEGUIDE  
     385/130 .Thin film optical waveguide
- 2 422/50 (0 OR, 2 XR)  
     Class 422 : CHEMICAL APPARATUS AND PROCESS DISINFECTING,  
               DEODORIZING, PRESERVING, OR STERILIZING  
     422/50 ANALYZER, STRUCTURED INDICATOR, OR MANIPULATIVE  
               LABORATORY DEVICE
- 2 422/55 (0 OR, 2 XR)  
     Class 422 : CHEMICAL APPARATUS AND PROCESS DISINFECTING,  
               DEODORIZING, PRESERVING, OR STERILIZING  
     422/50 ANALYZER, STRUCTURED INDICATOR, OR MANIPULATIVE  
               LABORATORY DEVICE  
     422/55 .Structured visual or optical indicator, per se
- 2 422/58 (0 OR, 2 XR)  
     Class 422 : CHEMICAL APPARATUS AND PROCESS DISINFECTING,  
               DEODORIZING, PRESERVING, OR STERILIZING  
     422/50 ANALYZER, STRUCTURED INDICATOR, OR MANIPULATIVE  
               LABORATORY DEVICE  
     422/55 .Structured visual or optical indicator, per se  
     422/58 ..In holder or container having special form
- 2 422/82.05 (0 OR, 2 XR)  
     Class 422 : CHEMICAL APPARATUS AND PROCESS DISINFECTING,  
               DEODORIZING, PRESERVING, OR STERILIZING  
     422/50 ANALYZER, STRUCTURED INDICATOR, OR MANIPULATIVE  
               LABORATORY DEVICE  
     422/68.1 .Means for analyzing liquid or solid sample  
     422/82.05 ..Measuring optical property by using  
               ultraviolet, infrared, or visible light
- 2 422/82.11 (0 OR, 2 XR)  
     Class 422 : CHEMICAL APPARATUS AND PROCESS DISINFECTING,  
               DEODORIZING, PRESERVING, OR STERILIZING  
     422/50 ANALYZER, STRUCTURED INDICATOR, OR MANIPULATIVE  
               LABORATORY DEVICE  
     422/68.1 .Means for analyzing liquid or solid sample  
     422/82.05 ..Measuring optical property by using  
               ultraviolet, infrared, or visible light  
     422/82.11 ...Waveguides
- 2 435/287.1 (0 OR, 2 XR)

- Class 435 : CHEMISTRY: MOLECULAR BIOLOGY AND MICROBIOLOGY
- 435/283.1 APPARATUS  
435/287.1 .Including measuring or testing
- 2 435/287.2 (0 OR, 2 XR)  
Class 435 : CHEMISTRY: MOLECULAR BIOLOGY AND MICROBIOLOGY
- 435/283.1 APPARATUS  
435/287.1 .Including measuring or testing  
435/287.2 ..Measuring or testing for antibody or nucleic acid, or measuring or testing using antibody or nucleic acid
- 2 435/288.7 (0 OR, 2 XR)  
Class 435 : CHEMISTRY: MOLECULAR BIOLOGY AND MICROBIOLOGY
- 435/283.1 APPARATUS  
435/287.1 .Including measuring or testing  
435/288.7 ..Including optical measuring or testing means
- 2 435/808 (0 OR, 2 XR)  
Class 435 : CHEMISTRY: MOLECULAR BIOLOGY AND MICROBIOLOGY
- 435/808 OPTICAL SENSING APPARATUS
- 2 436/164 (0 OR, 2 XR)  
Class 436 : CHEMISTRY: ANALYTICAL AND IMMUNOLOGICAL TESTING
- 436/164 OPTICAL RESULT
- 2 436/165 (0 OR, 2 XR)  
Class 436 : CHEMISTRY: ANALYTICAL AND IMMUNOLOGICAL TESTING
- 436/164 OPTICAL RESULT  
436/165 .With claimed manipulation of container to effect reaction or use of container of claimed optical structure
- 2 436/518 (0 OR, 2 XR)  
Class 436 : CHEMISTRY: ANALYTICAL AND IMMUNOLOGICAL TESTING
- 436/518 INVOLVING AN INSOLUBLE CARRIER FOR IMMOBILIZING IMMUNOCHEMICALS
- 2 436/527 (2 OR, 0 XR)  
Class 436 : CHEMISTRY: ANALYTICAL AND IMMUNOLOGICAL TESTING
- 436/518 INVOLVING AN INSOLUBLE CARRIER FOR IMMOBILIZING IMMUNOCHEMICALS  
436/524 .Carrier is inorganic  
436/527 ..Glass or silica
- 2 436/535 (0 OR, 2 XR)  
Class 436 : CHEMISTRY: ANALYTICAL AND IMMUNOLOGICAL TESTING
- 436/518 INVOLVING AN INSOLUBLE CARRIER FOR IMMOBILIZING IMMUNOCHEMICALS  
436/528 .Carrier is organic  
436/535 ..Antigen or antibody entrapped within the carrier (e.g., gel, hollow fiber, etc.)

- 2 436/805 (0 OR, 2 XR)  
Class 436 : CHEMISTRY: ANALYTICAL AND IMMUNOLOGICAL  
TESTING  
436/805 OPTICAL PROPERTY
- 2 600/561 (1 OR, 1 XR)  
Class 600 : SURGERY  
600/300 DIAGNOSTIC TESTING  
600/561 .Measuring fluid pressure in body
- 2 702/182 (1 OR, 1 XR)  
Class 702 : DATA PROCESSING: MEASURING, CALIBRATING, OR  
TESTING  
702/127 MEASUREMENT SYSTEM  
702/182 .Performance or efficiency evaluation
- 2 702/183 (2 OR, 0 XR)  
Class 702 : DATA PROCESSING: MEASURING, CALIBRATING, OR  
TESTING  
702/127 MEASUREMENT SYSTEM  
702/182 .Performance or efficiency evaluation  
702/183 ..Diagnostic analysis

PLUS Search Results for S/N 10772304, Searched June 03, 2005

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

4539845  
5617020  
5696491  
4463606  
4621701  
4906917  
5353906  
5508698  
5583434  
5623421  
5625343  
5627310  
5754055  
5910700  
5919029  
6113553  
6208051  
6260004  
6330525  
4877999  
4298784  
5630949  
5770462  
4458202  
4603257  
5025147  
5063332  
5386288  
6245578  
6312393  
6423001  
6553335  
5653811  
5929981  
6795796  
4283260  
6077387  
6202590  
4585974  
5220836  
5365787  
5381698  
5565987  
5695155  
5769503  
6196067  
4419600  
4784237  
4817430  
5012206



10772304\_QUAL.txt

4539845 86  
5617020 86  
5696491 86  
4463606 86  
4621701 86  
4906917 86  
5353906 86  
5508698 86  
5583434 86  
5623421 86  
5625343 86  
5627310 86  
5754055 86  
5910700 86  
5919029 86  
6113553 86  
6208051 86  
6260004 86  
6330525 86  
4877999 81  
4298784 81  
5630949 81  
5770462 81  
4458202 81  
4603257 81  
5025147 81  
5063332 81  
5386288 81  
6245578 81  
6312393 81  
6423001 81  
6553335 81  
5653811 81  
5929981 78  
6795796 78  
4283260 70  
6077387 70  
6202590 70  
4585974 68  
5220836 68  
5365787 68  
5381698 68  
5565987 68  
5695155 68  
5769503 68  
6196067 68  
4419600 68  
4784237 68  
4817430 68  
5012206 68